



OHIO AUDITOR OF STATE  
**KEITH FABER**





# OHIO AUDITOR OF STATE KEITH FABER



65 East State Street  
Columbus, Ohio 43215  
[ContactUs@ohioauditor.gov](mailto:ContactUs@ohioauditor.gov)  
800-282-0370

## BASIC AUDIT REPORT

Community Improvement Corporation of Milford  
Clermont County  
745 Center Street  
Milford, Ohio 45150

We have completed certain procedures in accordance with Ohio Rev. Code § 117.01(G) to the accounting records and related documents of the Community Improvement Corporation of Milford, Clermont County, (the Corporation) for the year ended December 31, 2023.

Our procedures were designed solely to satisfy the audit requirements of Ohio Rev. Code § 117.11(A). Because our procedures were not designed to opine on the Corporation's financial statements, we did not follow *generally accepted auditing standards*. We do not provide any assurance on the Corporation's financial statements, transactions or balances for the year ended December 31, 2023.

The Corporation's management is responsible for preparing and maintaining its accounting records and related documents. Our responsibility under Ohio Rev. Code § 117.11(A) is to examine, analyze and inspect these records and documents.

Based on the results of our procedures, we found no significant compliance or accounting issues to report.

KEITH FABER  
Ohio Auditor of State

Tiffany L. Ridenbaugh, CPA, CFE, CGFM  
Chief Deputy Auditor

November 6, 2025



# OHIO AUDITOR OF STATE KEITH FABER



COMMUNITY IMPROVEMENT CORPORATION OF MILFORD

CLERMONT COUNTY

AUDITOR OF STATE OF OHIO CERTIFICATION

This is a true and correct copy of the report, which is required to be filed pursuant to Section 117.26, Revised Code, and which is filed in the Office of the Ohio Auditor of State in Columbus, Ohio.



Certified for Release 11/18/2025

65 East State Street, Columbus, Ohio 43215  
Phone: 614-466-4514 or 800-282-0370

This report is a matter of public record and is available online at  
[www.ohioauditor.gov](http://www.ohioauditor.gov)